# RESULTS OF 1989 WILLAMETTE RIVER-BURLINGTON/NORTHERN R.R. BRIDGE SEDIMENT QUALITY EVALUATION

### Abstract

A sediment quality evaluation of shoal material at Willamette River Mile 7.0 (site of the Burlington/Northern Railroad swing bridge) was initiated with the collection of shoal material on July 19, 1989. Physical and chemical analyses were conducted. Based on the results of these tests and a review of previous evaluations, which included bioassays, no toxicological effect would be expected by the removal and unconfined in-water disposal of the existing shoal material.

### Project Description

The Federally maintained Willamette River navigation project provides for a channel 40 feet deep and 600 to 2000 feet wide from river mile (RM) 0.0 at the Mouth of the Willamette River to RM 11.7 at the Broadway Bridge in Portland, Oregon. A Burlington/Northern Railroad Bridge crosses the Willamette River at RM 7.0. The existing swing bridge, whose center pivot bisects the navigation channel, was scheduled for removal during the summer of 1989. Riedel International was the prime contractor for the bridge removal project which included the removal of piling/deflection pier, pivot pier and bottom material within the area bounded by the piling/deflection pier to a 40 foot depth. Hydrosurveys dated 14 July 1989 performed by the USACE Portland District indicate shoaling of material above the 40 foot project depth in the immediate vicinity of the bridge pier. This material is outside of the dredging prism for the bridge removal project and will be removed by the government as part of its Willamette River navigation maintenance responsibilities.

### Previous Studies

Sediment samples were collected from RM 2.0 to the Broadway Bridge at RM 11.7 as part of a 1988 Lower Willamette River sediment quality evaluation conducted by this office. Two samples 7.1L and 7.3L were collected along the west bank portion of the navigation channel at RM 7.1 and RM 7.3, respectively, using a gravity core sampler. Bulk chemistry, elutriate tests and bioassays were run on the individual samples. Along with samples taken at RM 4.3 and RM 5.1 these samples had the highest recorded heavy metals concentrations for all priority pollutants tested except for lead. They also contained the highest concentrations of most of the organic compounds found. Sample 7.1L showed significant mortality in the dissolved phase, while no mortality was noted in any solid phase tests. Mortality, it was felt, was due to high ammonia or depressed oxygen levels in the test containers. The highest ammonia release during elutriate testing was for sample 7.1L.

In summary these samples showed elevated levels for cadmium, copper, mercury, DDD, DDT, ammonia and total PAHs but showed no toxicological effect except as noted. However, it was recommended that sediments from RM 7.0 to RM 7.5 be placed in a confined in-water or upland site due to the elevated levels of DDD.

### Present Study

Sediment samples were collected on July 19, 1989 with a 2.5 inch vibracore using Riedel's barge mounted crane which was on site. Due to restrictions imposed by sampling under an active working swing bridge and the limit of the crane-barge anchoring system the shoal immediately up and downstream of the fender piles could not be sampled. However the shoal in the right channel adjacent to the fender piles and an area immediately downstream of the pivot pile for the railroad bridge was sampled (see attachment 1). Three cores were collected. These cores were transported in their acid-rinsed cellulose butyrate acetate core liners to the CENPD Lab for cold storage then subsequently logged and subsampling on July 20, 1989.

Each core was extruded from the core liner, split in half, logged and subsampled for physical and chemical testing. The chemical subsamples were placed in amber 500ml I-Chem Specialty Cleaned Containers with teflon lined lids. Based on the visual inspection cores WRBN-1 and WRBN-2 were divided into two sections each and tested separately. Sample WRBN-3 consisted predominately of sand-blasting sand from past painting projects of the railroad bridge. Samples of this core were taken for physical and heavy metal analysis only.

#### Discussion

Physical data: Core WRBN-1 was 111 inches long. Based on physical characteristics the core was divided into two sections, one from 0.0 to 29 inches deep the other from 29 to 111 inches. WRBN-2 was similarly subdivided from 0.5 to 37.5 inches deep and 37.5 to 104 inches. WRBN-3 was 66 inches long and was not subdivided. For both WRBN-1 and WRBN-2, grain size increased with depth while volatile solids decreased. WRBN-3 appeared to consist of sand blasting sand except for the bottom 3 inches of material which consisted of a medium olive brown silt. As this material is not considered to be representative of the bulk of the shoal, the physical analysis for sample WRBN-3 was limited to grain size. See attachment 2 for data sheets.

Chemical data: For samples WRBN-1 and WRBN-2 the chemical analyses indicate metals, TOC and oil and grease concentrations are low and typical of uncontaminated river sediment. Pesticides, PCBs, PAHs, phthalates and phenols are below the method of detection limit except for traces of bis(2-thylhexyl) phthalate that is present at or near the detection limit in several samples (attachment 3). As WRBN-3 was not considered typical or representative of the major shoal material,

chemical analysis was therefore limited to heavy metals. Sand blasting sand is produced as a byproduct of silver mining and processing. This coupled with the possibility that lead, chromium and other heavy metals from paint chips could be present prompted the analysis for heavy metals. The levels for these constituents in sample WRBN-3 do not vary significantly from the other samples nor do they indicate any significant elevation in contamination above normal background levels.


#### Recommendations

The samples collected and analyzed are representative of the material present in the shoal sampled. Material comprising the shoals up and downstream of the fender piles for the swing bridge are believed to be similar in nature and composition. Based on these analyses and previous studies, the material is acceptable, from a toxicity standpoint, for unconfined in-water disposal. Acute or chronic toxicity/bioaccumulation effects from in-water disposal of these sediments would not be expected.

### Report Preparation

Sediment samples were collected and this sediment quality evaluation was prepared by Mr. Mark D. Siipola of the Coastal Flood Plain Management Branch, Planning Division, USACE Portland District. Analytical chemistry was preformed under the direction of Dr. Eric Crecilius, Battelle's Pacific Division Northwest Marine Sciences Laboratory, Sequim, Washington. Physical analyses were preformed by the CENPD Lab in Troutdale, Oregon under the direction of Mr. Tim Simmons.

## ATTACHMENT 1



# ATTACHMENT 2

Copy Furnished: CENPD-EN-G

W.O. 89-SHM-716 Soils Branch Reading File



### DEPARTMENT OF THE ARMY

NORTH PACIFIC DIVISION MATERIALS LABORATORY CORPS OF ENGINEERS 1491 N.W. GRAHAM AVENUE TROUTDALE, DREGON 97080-9503

GENPD-EN-G-1. (1110-1-8100c)	14 Aug 89
MEMORANDUM FOR: Commander, Portland District, ATTN: CENPP-PL-	CH
SUBJECT: W.O. 89-SHM-716, Report of Sediment Test Results	•
Project: WILLAMETTE RIVER - BURLINGTON NORTHERN R.R. BRIDGE Intended Used:	
Intended Used:	
Submitted by: <u>CENPP-PL-CH (Slipola)</u>	
Date Sampled: Date Roceived:	
Method of Test or Specification: ASTM. EM1110-2-1906	
Reference: a) DA Form 2544, Order No. E86-89-0140, dated 27.	Jun 89.
b) NPD Form 300. Sample Transmittal dated 20 Jul	89, covering
the samples tested,	
1. Enclosed are:	
a. Enclosure 1, one summary sheet, "Results of Physical Sediment," with results for the five samples tested.	Analyses of
. b. Enclosure 2, five gradation analysis summary aboets.	
2. This completes all work to date.	
	المتعبد
Encls JAMES A. PAXTON	paxton

MFR: Routine testing on Willamette River sediment samples. All samples were sandy silts. Complete copy in office files.

CENPD-EN-G-L (89-8HM-716)

# WILLAMETTE RIVER - BURLINGTON NORTHERN BRIDGE

Results of Dredge Test Analysis

CENPP Sample Number	Resuspended <u>Density</u> , pms/L	<u>Void Ratio</u>	Volatile Solids, X	Specific <u>Gravity</u>	Roundness Grading
WRBN-1-1	1595	1.906	2.3	2.73	subangular to subround
WRBN-1-2	1690	1.531	1,2	2.75	angular to subangular
5N-2-1	1638	1.715	2.5	2.73	angular to subangular
WRBN-2-2	1660	1.648	1.5	2.75	angular to subangular
••••					. W #

\* \* \* Corps of Engineers - North Pacific Division Materials Laboratory \* \* \* WILLAMETTE RIVER - B.N.R.R. BRIDGE (89-SHM-716)


Boring: --- Sample: WRBN-1-1 Dopth; 0-29" Lab No.: 71601

Si	eve Analysi Cumulative		Sample	Weigh Temp	Hydrometer A it:83 gr. Hydrometer	nalysis Start Diameter	Time:0000 Percent
Sieve	Grams Retained	Percent Passing	Time	(C)	Reading	in mm	Finer
5 In. 2,5 In. 1,25 In. 5/8 In. 5/8 In. 5/16 In. No. 10 Pan No. 18 No. 35 No. 60 No. 120 No. 230 Pan	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.10 0.60 0.70 5.70 83.00	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	1 3 10 100 200	20.0 20.0 20.0 20.0 20.0	63.0 44.0 33.5 17.0 13.0	0.0328 0.0333 0.0139 0.0064 0.0046	753.1 40.6 20.9 16.1

D85; .042 D60: .026 D50; .021 D30; .0094 mm Gravel: 0.0% Sand; 4.5% Fines: 95.5%

Comments

Cannot classify soil without knowing type of fines.



\* \* \* Corps of Engineers - North Pacific Division Materials Laboratory \* \* \* WILLAMETTE RIVER - B.N.R.R. BRIDGE (89-SHM-716)

Boring: --- Sample: WRBN-1-2 Depth: 29-111" Lab No.: 71602

	eve Analysi Cumulative Grams Retained	Percent Passing	Sample Time	Weigh Temp (C)	Hydrometer A it:67.2 gr. Hydrometer Reading	malysis Start Diameter in mm	Time:0000 Percent Finer
Sieve	Vacatuen	Lussink	TTIIIQ	(0)	Konozna		
5 In. 2.5 In. 1.25 In. 5/8 In. 5/16 In. No. 5 No. 10 Pan No. 18 No. 35 No. 60 No. 120 No. 230 Pan	0.00 0.00 0.00 0.00 0.00 0.00 67.20 0.00 0.10 2.30 14.10 67.20	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	1 3 100 100 200	20.0 20.0 20.0 20.0	40.0 26.0 15.0 8.0 5.5	0.0418 0.0268 0.0158 0.0067 0.0048	59.7 39.0 22.8 12.5 8.8


D85: .075 D60: .042 D50: .034 D30: .021 D15: .0091 D10: .0054 mm

Cu: 7.86 Ca: 1.90

Gravel: 0.0% Sand: 15.0% Fines: 85.0%

Cannot classify soil without knowing type of fines,

Sieve sizes \$1eve numbers



\* \* \* Corps of Engineers - North Pacific Division Materials Laboratory \* \* \* WILLAMETTE RIVER - B.N.R.R. BRIDGE (89-SHM-716)


Boring: --- Sample: WRBN-2-1 Depth: 0.5-37.5" Lab No.: 71603

Sieve	eve Analysi Cumulative Grams Retained		Sample Time	Weigh Temp (C)	Hydrometer A nt:82.1 gr. Hydrometer Reading	nalysis Start Diameter in mm	Time:0000 Percent Finer
5 In. 2.5 In. 1.25 In. 5/8 In. 5/16 In. No. 5 No. 10 Pan No. 35 No. 60 No. 120 No. 230 Pan	0.00 0.00 0.00 0.00 0.00 0.00 82.10 0.00 0.50 0.50 0.80 3.90 82.10	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 99.4 99.0 95.2	1 10 100 200	20.0 20.0 20.0 20.0 20.0	64.0 46.0 30.6 15.0 11.0	0.0323 0.0229 0.0142 0.0064 0.0047	77.8 56.1 37.5 18.7 13.9

D85: .039 D60: .024 D50: .020 D30: .011 D15: .0051 mm Sand: 3.8% Fines: 96.2% Gravel: 0.0%

Comments -----

Cannot classify soil without knowing type of fines.



\* \* \* Corps of Engineers - North Pacific Division Materials Laboratory \* \* \* WILLAMETTE RIVER - B.N.R.R. BRIDGE (89-SHM-716)


	Boring:	- Sample:	WKBN-2-2 D	epth;	37.5-194" 1	40 NO.; /l	604
Si	eve Analysi Cumulative Grams	s Percent	Sample	Weigh Temp	37.5-104" 1 Hydrometer A it:84. gr. Hydrometer	Start	Time:0000 Percent
Sieve	Retained	Passing	Time	(C)	Reading	in min	Finer
5 In. 2.5 In. 1,25 In. 5/8 In. 5/16 In. No. 5 No. 10 Pan No. 18 No. 35 No. 60	0.00 0.00 0.00 0.00 0.00 0.00 84.00 0.10	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0	10 100 100 200	20.0	35.0 23.0 14.0 6.5 5.5	0.0436 0.0274 0.0159 0.0068 0.0048	41.8 27.7 17.1 8.2 7.1
No. 60 No. 120 No. 230 Pan	0.40 5.40 32.90 84.00	99,5 93.6 60.8 0.0	nilar:	.05	14		

D85: 0.10 D60: ,062 D50: ,051 D30: .030 D15: ,014 D10: .0088 mm

Cu: 7.05 Cc: 1.66

Gravel: 0.0% Sand: 29,4% Fines: 70.6%

Cannot classify soil without knowing type of fines.



No hydrometer analysis.

\* \* Corps of Engineers - North Pacific Division Materials Laboratory \* \* \* WILLAMETTE RIVER - B.N.R.R. BRIDGE (89-SHM-716)

Boring: --- Sample: WRBN-3 Depth: --- Lab No.: 71605

Sieve	Grams Retained	Percent Passing
5 In. 2.5 In. 1.25 In. 5/16 In. 5/16 In. No. 10 Pan No. 18 No. 35 No. 60 No. 120 No. 120 No. 230 Pan	0.00 0.00 0.00 0.00 5.10 5.10 6.20 1932.70 9.30 118.50 153.80 157.80	100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0 100.0
1 6111	12,140	V. V

D30: 0.26 D15: 0.21 D10: 0.18 mm D85; 0.46 D60: 0.35 D50; 0.32

Cu: 1.96

Grave1; 0.3% Fines: 1.6% Sand: 98.1%


Cc: 1.09

----- ASTM D 2487 Classification -----

### SP Poorly graded SAND

----- Comments

DEPTH NOT GIVEN



## ATTACHMENT 3



Pacific Northwest Division Marine Sciences Laboratory 439 West Sequim Bay Road Sequim, Washington 98382 (206) 683-4151

September 15, 1989

Mr. Mark Siipola U.S. Army Corps of Engineers P.O. Box 2946, Attn: PL-AP Portland, Oregon 97208

### Dear Mark:

Recently Pacific Northwest Laboratory (Battelle-Northwest) conducted chemical analyses of sediments from the Portland District dredging project (Willamette River - Burlington Northern Railroad Bridge) collected by your organization. Battelle received, in good condition, on July 25, 1989, five sediment samples from the COE. These samples were analyzed for metals (Ag, As, Cd, Cr, Cu, Pb, Hg, Ni, and Zn), phthalates, oil and grease, TOC, pesticides, PCBs, PAHs and phenols. The methods included:

Metal - By U.S. EPA (1986) Method 3050, which includes acid digestion followed by atomic absorption.

Oil and Grease - By Standard Methods 502 (1975), which includes solvent extraction and quantification by infrared spectrophotometry.

PAH, Phthalates, and Phenols - By U.S. EPA (1986) Method 8270, which includes solvent extraction and quantification by GC/MS.

TOC - By Standard Methods 502 (1975), which includes combustion of sediment and quantification by infrared absorption.

<u>Pesticides and PCBs</u> - By U.S. EPA (1986) Method 8080, which includes solvent extraction and quantification by GC-ECD.

Phenols - By U.S. EPA (1986) Method 8040 which includes solvent extraction and quantification by GC-FID.

For quality control (QC) surrogates were added to the sediments analyzed for organic compounds. The surrogate recoveries ranged from 67% to 98%.

Mr. Mark Siipola September 14, 1989 Page 2

The chemical results in the enclosed tables indicate metals, TOC, and oil and grease concentrations are low and typical for uncontaminated sandy river sediment. Pesticides, PCBs, PAHs, phthalates and phenols are below the method of detection limit except for traces of bis(2-ethylhexyl)phthalate that is present at or near the detection limit in several samples.

If I can be of additional assistance to your organization, please call me at 206/683-4151.

Sincerely,

Eri

Eric Crecelius Senior Research Scientist

:at

**Enclosures** 

# Concentrations of Metals, Oil and Grease, and Total Organic Carbon in Willamette River Sediment (July 1989)

mg/	kg	dry	wei	g	ht
-----	----	-----	-----	---	----

Parameter	WRBN1-1	WRBN1-2	WRBN2-1	WRBN2-2	WRBN3
Ag As Cd Cr Cu Pb Hg Ni Zn	0.113 13 0.41 23.0 28.7 13.3 0.03 20.8 87.7	0.071 14 0.15 17.3 22.3 13.2 0.03 17.2 72.9	0.087 23 0.08 25.3 31.0 16.6 0.03 23.4 87.1	0.060 15 0.13 14.2 19.0 5.0 0.02 14.9 65.2	0.026 11 0.080 17.5 16.3 2.6 0.02 20.4 50.2
Oil and Grease	<36	<37	<37	<36	
Total Organic Carbon	< 0.1%	< 0.1%	< 0.1%	< 0.1%	

## ORGANICS ANALYSIS DATA SHEET

Semivolatiles by Methods 625/8270

Lab ID:

3358A

Matrix:

Soils/Sediments

Sample No: WRBN-1-1

QC Report No: 3358 - Batelle

Project No: PO#60694AKS

VTSR: 07/27/89

Date Release Authorized: Bern Island

Report prepared 08/18/89 MAC:B

Sample Wt: 78.7 gm (Dry Weight)

Date extracted: 08/03/89

Percent Moisture: 29.6%

pH: 8.7

Conc/Dilution: 1 to 1

Analyzed (FINN 4): 08/10/89 GPC Clean-up: YES (1 of 2)

μg/Kg **CAS Number** 108-95-2 Phenol 50 U bis(2-Chloroethyl)Ether 25 U 111-44-4 25 U 95-57-8 2-Chlorophenol 25 U 541-73-1 1,3-Dichlorobenzene 25 U 1,4-Dichlorobenzene 106-46-7 130U 100-51-6 Benzyl Alcohol 25 U 1,2-Dichlorobenzene 95-50-1 25 U 95-48-7 2-Methylphenol 25 U 30538-32-9 bis(2-chloroisopropyl)Ether 25 U 44-5 4-Methylphenol 25 U N-Nitroso-Di-n-Propylamine \_1-64-7 67-72-1 50 U Hexachloroethane 25 U 98-95-3 Nitrobenzene 25 U 78-59-1 Isophorone 130 U 88-75-5 2-Nitrophenol 50 U 105-67-9 2,4-Dimethylphenol 250 U 65-85-0 Benzoic Acid 25 Ū 111-91-1 bis(2-Chloroethoxy)Methane <u>80U</u> 2,4-Dichlorophenol 120-83-2 25 Ū 1,2,4-Trichlorobenzene 120-82-1 25 U 91-20-3 Naphthalene *8*0U 106-47-8 4-Chloroaniline 50 U Hexachlorobutadiene 87-68-3 50 U 59-50-7 4-Chloro-3-Methylphenol 25 U 91-57-6 2-Methylnaphthalene 130 U Hexachlorocyclopentadiene 77-47-4 2,4,6-Trichlorophenol 130 U 88-06-2 130 U 95-95-4 2,4,5-Trichlorophenol 25 Ü 91-58-7 2-Chloronaphthalene 130U 88-74-4 2-Nitroaniline 25 U 131-11-3 Dimethyl Phthalate 25 U 208-96-8 Acenaphthylene 130 U 209-2 3-Nitroaniline

CAS Numb	μg/Kg	
83-32-9	Acenaphthene	25 U
51-28-5	2,4-Dinitrophenol	250 U
100-02-7	4-Nitrophenol	1 <b>3</b> 0U
132-64-9	Dibenzofuran	25 U
121-14-2	2,4-Dinitrotoluene	1 <b>3</b> 0U
606-20-2	2.6-Dinitrotoluene	130 U
84-66-2	Diethylphthalate	25 U
7005-72-3	4-Chlorophenyl-phenylether	25 U
86-73-7	Fluorene	25 U
100-01-6	4-Nitroaniline	1 <b>3</b> 0U
534-52-1	4.6-Dinitro-2-Methylphenol	250 U
86-30-6	N-Nitrosodiphenylamine(1)	25 U
101-55-3	4-Bromophenyi-phenylether	25 U
118-74-1	Hexachlorobenzene	25U
87-86-5	Pentachlorophenol	130U
85-01-8	Phenanthrene	25 U
120-12-7	Anthracene	25U
84-74-2	Di-n-Butylphthalate	25 U
206-44-0	Fluoranthene ·	25 U
129-00-0	Pyrene	25 U
85-68-7	Butylbenzylphthalate	25 U
91-94-1	3.3'-Dichlorobenzidine	130U
56-55-3	Benzo(a)Anthracene	25 U
117-81-7	bis(2-Ethylhexyl)Phthalate	12 JB
218-01-9	Chrysene	25 U
117-84-0	Di-n-Octyl Phthalate	25 U
205-99-2	Benzo(b)Fluoranthene	25 U
207-08-9	Benzo(k)Fluoranthene	25 U
50-32-8	Benzo(a)Pyrene	25 U
193-39-5	Indeno(1,2,3-cd)Pyrene	25 U
53-70-3	Dibenz(a,h)Anthracene	25 U
191-24-2	Benzo(ghi)Perylene	25U
		:

(1) Cannot be separated from diphenylamine

\*Base/neutral surrogate recoveries

d5-Nitrobenzene	86.9%
2-Fluorobiphenyl	75.5%
d14-p-Terphenyl	72.7%

\*Acid surrogate recoveries

d5-Phenol	98.2%
2-Fluorophenol	76.6%
2,4,6-Tribromophenol	97.5%

# ORGANICS ANALYSIS DATA SHEET

Semivolatiles by Methods 625/8270

Lab ID:

3358B

Matrix:

Soils/Sediments

Sample No: WRBN-1-2

QC Report No: 3358 - Batelle Project No: PO#60694AKS

VTSR: 07/27/89

Date Release Authorized:

Report prepared 08/18/89 MAC:B

Sample Wt: 97.3 gm (Dry Weight)

Date extracted: 08/03/89 Analyzed (FINN 4): 08/10/89

Percent Moisture: 27.3%

pH: 8.7

GPC Clean-up: YES (1 of 2)

Conc/Dilution: 1 to 1

CAS Number	er	μg/Kg
108-95-2	Phenol	<b>4</b> 0U
111-44-4	bis(2-Chloroethyl)Ether	21 U
95-57-8	2-Chlorophenol	21 U
541-73-1	1,3-Dichlorobenzene	210
106-46-7	1,4-Dichlorobenzene	21 U
100-51-6	Benzyl Alcohol	1000
95-50-1	1,2-Dichlorobenzene	21 U
95-48-7	2-Methylphenol	21 U
39638-32-9	bis(2-chloroisopropyl)Ether	21 U
<del>\44-5</del>	4-Methylphenol	21 U
-64-7	N-Nitroso-Di-n-Propylamine	21 U
67-72-1	Hexachloroethane	40U
98-95-3	Nitrobenzene	21 U
78-59-1	Isophorone	21 U
88-75-5	2-Nitrophenol	100U
105-67-9	2,4-Dimethylphenol	40U
<i>65-85-0</i>	Benzoic Acid	210U
111-91-1	bis(2-Chloroethoxy)Methane	21 U
120-83-2	2,4-Dichlorophenol	<i>&amp;</i> 0U
120-82-1	1,2,4-Trichlorobenzene	21 U
91-20-3	Naphthalene	21 U
106-47-8	4-Chloroaniline	ЮU
87-68-3	Hexachlorobutadiene	<b>4</b> 0U
59-50-7	4-Chloro-3-Methylphenol	40U
91-57-6	2-Methylnaphthalene	21 U
77-47-4	Hexachlorocyclopentadiene	1000
88-06-2	2.4.6-Trichlorophenol	1000
95-95-4	2.4,5-Trichlorophenol	1000
91-58-7	2-Chloronaphthalene	21 U
88-74-4	2-Nitroaniline	100U
131-11-3	Dimethyl Phthalate	21 U
208-96-8	Acenaphthylene	21 U
0909-2	3-Nitroaniline	1000

CAS Numb	per	μg/Kg
83-32-9	Acenaphthene	210
51-28-5	2,4-Dinitrophenol	210U
100-02-7	4-Nitrophenol	100U
132-64-9	Dibenzofuran	21 U
121-14-2	2,4-Dinitrotoluene	100U
606-20-2	2,6-Dinitrotoluene .	100U
84-66-2	Diethylphthalate	21 U
7005-72-3	4-Chlorophenyl-phenylether	21 U
86-73-7	Fluorene	21 U
100-01-6	4-Nitroaniline	100U
534-52-1	4.6-Dinitro-2-Methylphenol	210U
86-30-6	N-Nitrosodiphenylamine(1)	21 U
101-55-3	4-Bromophenyl-phenylether	21 U
118-74-1	Hexachlorobenzene	21 U
87-86-5	Pentachlorophenol	าထบ
85-01-8	Phenanthrene	21 U
120-12-7	Anthracene	21 U
84-74-2	Di-n-Butylphthalate	21 U
206-44-0	Fluoranthene	21 U
129-00-0	Pyrene	21 U
85-68-7	Butylbenzylphthalate	21 U
91-94-1	3.3'-Dichlorobenzidine	100U
56-55-3	Benzo(a)Anthracene	21 U
117-81-7	bis(2-Ethylhexyl)Phthalate	6 JB
218-01-9	Chrysene	21 U
117-84-0	Di-n-Octyl Phthalate	21 U
205-99-2	Benzo(b)Fluoranthene	21 U
207-08-9	Benzo(k)Fluoranthene	210
50-32-8	Benzo(a)Pyrene	21 U
193-39-5	Indeno(1,2,3-cd)Pyrene	21 U
53-70-3	Dibenz(a,h)Anthracene	21 U
191-24-2	Benzo(ghi)Perylene	210

(1) Cannot be separated from diphenylamine

\*Base/neutral surrogate recoveries

d5-Nitrobenzene	87.9%
2-Fluorobiphenyl	80.8%
d 14-p-Terphenyl	69.1%

\*Acid surrogate recoveries

d5-Phenol	98.2%
2-Fluorophenol	72.8%
2,4,6-Tribromophenol	95.4%

Lab Sample ID: 3358 A

Matrix: Soil

VTSR: 07/27/89

Date Extracted: 08/03/89

Date Analyzed: 08/15/89

Conc/Dil Factor: 1:20

Dry Weight: 78.70 g

Data Release Authorized:

DATA PREPARED: MAC:C C.G. (08/16/89)

Sample No.: WRBN1-1 QC Report No.: 3358-Battelle

Project: #60694AKS

GPC Cleanup: Yes Alumina Cleanup: Yes

Sulfur Cleanup: No

CAS Number	-	μg/kg
319-84-6	Alpha-BHC	0.7 U
319-85-7	Beta-BHC	0.7 U
319-86-8	Delta-BHC	1.0 U
58-89-9	Gamma-BHC (Lindane)	0.7 U
76-44-8	Heptachlor	0.7 U
309-00-2	Aldrin	0.7 U
1024-57-3	Heptachlor Epoxide	0.7 U
959-98-8	Endosultan I	0.7 U
60-57-1	Dieldrin	1.5 U
72-55-9	4,4'-DDE	1.5 U
72-20-8	Endrin	1.5 U
33212-65-9	Endosulfan II	1.5 U
72-54-8	4,4'-DDD	2.0 U
1031-07-8	Endosulfan Sulfate	3.0 U
50-29-3	4,4'-DDT	2.0 U
72-43-5	Methoxychlor	3.0 U
53494-70-5	Endrin Ketone	2.0 U
5103-74-2	Gamma-Chlordane	1.0 U
5103-71-9	Alpha-Chiordane	1.0 U
8001-35-2	Toxaphene	100 U
•	Aroclor-1242/1016	14 U
12672-29-6	Aroclor-1248	14 U
11097-69-1	Aroclor-1254	14 U
11096-82-5	Aroclor-1260	14 U

#### \* Pesticide Surrogate Recovery 76% Dibutyichlorendate

- Indicates compound was analyzed for but not U detected at the given detection limit.
- Indicates an estimated value when the result is less than the calculated detection limit.

Lab Sample ID: 3358 B

Matrix: Soil

VTSR: 07/27/89

Date Extracted: 08/03/89

Date Analyzed: 08/15/89

Conc/Dil Factor: 1:20

Dry Weight: 97.30 g

GPC Cleanup: Yes Alumina Cleanup: Yes

Sulfur Cleanup: No

Sample No.: WRBN1-2

QC Report No.: 3358-Battelle

Project: #60694AKS

Data Release Authorized:

DATA PREPARED: MAC:C C.G. (08/16/89) /

CAS Number	•	μg/kg
319-84-6	Alpha-BHC	0.7 U
319-85-7	Beta-BHC	0.7 U
319-86-8	Detta-BHC	1.0 U
58-89-9	Gamma-BHC (Lindane)	0.7 U
76-44-8	Heptachlor	0.7 U
309-00-2	Aldrin	0.7 U
1024-57-3	Heptachior Epoxide	0.7 U
959-98-8	Endosultan I	0.7 U
60-57-1	Dieldrin	1.5 U
72-55-9	4,4'-DDE	1.5 U
72-20-8	Endrin	1.5 U
33212-65-9	Endosulfan II	1.5 U
72-54-8	4,4'-DDD	2.0 U
1031-07-8	Endosultan Sulfate	3.0 U
50-29-3	4,4'-DDT	2.0 U
72-43-5	Methoxychlor	3.0 U
53494-70-5	Endrin Ketone	2.0 U
5103-74-2	Gamma-Chlordane	1.0 U
5103-71-9	Alpha-Chiordane	1.0 U
8001-35-2	Toxaphene	100 U
•	Aroclor-1242/1016	14 U
12672-29-6	Aroclor-1248	14 U
11097-69-1	Arocior-1254	14 U
11096-82-5	Aroclor-1260	14 U

# \* Pesticide Surrogate Recovery Dibutyichlorendate 76%

- U Indicates compound was analyzed for but not detected at the given detection limit.
- Indicates an estimated value when the result is less than the calculated detection limit.

Lab Sample ID: 3358 C

Matrix: Soil

VTSR: 07/27/89

Date Extracted: 08/03/89

Date Analyzed: 08/15/89

Conc/Dil Factor: 1:20

Dry Weight: 89.50 g

GPC Cleanup: Yes Alumina Cleanup: Yes

Sulfur Cleanup: No

Sample No.: WRBN2-1

QC Report No.: 3358-Battelle

Project: #60694AKS

Data Release Authorized:

DATA PREPARED: MAC:C C.G. (08/16/89)

CAS Number		μg/kg
319-84-6	Alpha-BHC	0.7 U
319-85-7	Beta-BHC	0.7 U
319-86-8	Delta-BHC	1.0 U
58-89-9	Gamma-BHC (Lindane)	0.7 U
76-44-8	Heptachlor	0.7 U
309-00-2	Aldrin	0.7 U
1024-57-3	Heptachlor Epoxide	0.7 U
959-98-8	Endosulfan I	0.7 U
60-57-1	Dieldrin	1.5 U
72-55-9	4,4'-DDE	1.5 U
72-20-8	Endrin	1.5 U
33212-65-9	Endosultan II	1.5 U
72-54-8	4,4'-DDD	2.0 U
1031-07-8	Endosulfan Sulfate	3.0 U
50-29-3	4,4'-DDT	2.0 U
72-43-5	Methoxychlor	3.0 U
53494-70-5	Endrin Ketone	2.0 U
5103-74-2	Gamma-Chlordane	1.0 U
5103-71-9	Alpha-Chlordane	1.0 U
8001-35-2	Toxaphene	100 U
-	Aroclor-1242/1016	14 U
12672-29-6	Aroclor-1248	14 U
11097-69-1	Arocior-1254	14 U
11096-82-5	Aroclor-1260	14 U

# \* Pesticide Surrogate Recovery Dibutylchlorendate 88%

- U Indicates compound was analyzed for but not detected at the given detection limit.
- J Indicates an estimated value when the result is less than the calculated detection limit.

Lab Sample ID: 3358 D

Matrix: Soil

VTSR: 07/27/89

Date Extracted: 08/03/89

Date Analyzed: 08/15/89

Conc/Dil Factor: 1:20

Dry Weight: 91,30 g

GPC Cleanup: Yes Alumina Cleanup: Yes

Sample No.: WRBN2-2

QC Report No.: 3358-Battelle

Project: #60694AKS

Sulfur Cleanup: No

Data Release Authorized:

DATA PREPARED: MAC:C C.G. (08/16/89)

CAS Number		μg/kg
319-84-6	Alpha-BHC	0.7 U
319-85-7	Beta-BHC	0.7 U
319-86-8	Delta-BHC	1.0 U
58-89-9	Gamma-BHC (Lindane)	0.7 U
76-44-8	Heptachlor	0.7 U
309-00-2	Aldrin	0.7 U
1024-57-3	Heptachlor Epoxide	0.7 U
959-98-8	Endosultan i	0.7 Ü
60-57-1	Dieldrin	1.5 U
72-55-9	4,4'-DDE	1.5 U
72-20-8	Endrin	1.5 U
33212-65-9	Endosulfan II	1.5 U
72-54-8	4,4'-DDD	2.0 U
1031-07-8	Endosulfan Sulfate	3.0 U
50-29-3	4,4'-DDT	2.0 U
72-43-5	Methoxychior	3.0 U
53494-70-5	Endrin Ketone	2.0 U
5103-74-2	Gamma-Chlordane	1.0 U
5103-71-9	Alpha-Chlordane	1.0 U
8001-35-2	Toxaphene	100 U
-	Aroclor-1242/1016	14 U
12672-29-6	Arocior-1248	14 U
11097-69-1	Aroclor-1254	14 U
11096-82-5	Aroclor-1260	14 U

# \* Pesticide Surrogate Recovery Dibutylchlorendate 82%

- U Indicates compound was analyzed for but not detected at the given detection limit.
- J Indicates an estimated value when the result is less than the calculated detection limit.

# **ORGANICS ANALYSIS DATA SHEET**

Semivolatiles by Methods 625/8270

Lab ID:

3358C

Matrix:

Soils/Sediments

Sample No: WRBN-2-1

QC Report No: 3358 - Batelle Project No: PO#60694AKS

VTSR: 07/27/89

Date Release Authorized:

Report prepared 08/18/89 MAC:B

Sample Wt: 89.5 gm (Dry Weight)

Date extracted: 08/03/89 Analyzed (FINN 4): 08/10/89

Percent Moisture: 29.1%

pH: 8.5

GPC Clean-up: YES (1 of 2)

Conc/Dilution: 1 to 1

	Gre Clear up. Teo (1 of 2)	
CAS Number		μg/Kg
108-95-2	Phenol	<b>4</b> 0U
111-44-4	bis(2-Chloroethyl)Ether	22 U
95-57-8	2-Chlorophenol	22 U
541-73-1	1,3-Dichlorobenzene	22 U
106-46-7	1,4-Dichlorobenzene	<i>22U</i>
100-51-6	Benzyi Alcohol	1100
95-50-1	1,2-Dichlorobenzene	22 U
95-48-7	2-Methylphenol	22 U
39638-32-9	bis(2-chloroisopropyl)Ether	22 U
44-5	4-Methylphenol	<i>2</i> 2 <i>U</i>
-64-7	N-Nitroso-Di-n-Propylamine	<i>2</i> 2 <i>U</i>
67-72-1	Hexachloroethane	<b>4</b> 0U
98-95-3	Nitrobenzene	22 U
78-59-1	Isophorone	22 U
88-75-5	2-Nitrophenol	110U
105-67-9	2.4-Dimethylphenol	40U
65-85-0	Benzoic Acid	220 U
111-91-1	bis(2-Chloroethoxy)Methane	22 U
120-83-2	2,4-Dichlorophenol	70U
120-82-1	1,2,4-Trichlorobenzene	22 U
91-20-3	Naphtrialene	22 U
106-47-8	4-Chloroaniline	70 U
87-68-3	Hexachlorobutadiene	<b>4</b> 0U
59-50-7	4-Chloro-3-Methylphenol	<b>4</b> 0U
91-57-6	2-Methylnaphthalene	22 U
77-47-4	Hexachlorocyclopentadiene	110U
88-06-2	2,4,6-Trichlorophenol	1100
95-95-4	2,4,5-Trichlorophenol	110U
91-58-7	2-Chloronaphthalene	22 U
88-74-4	2-Nitroaniline	1100
131-11-3	Dimethyl Phthalate	22 U
208-96-8	Acenaphthylene	22 U
0009-2	3-Nitroaniline	1100
	المناف	

CAS Numb	per	μg/Kg
83-32-9	Acenaphthene	22 U
51-28-5	2,4-Dinitrophenol	220U
100-02-7	4-Nitrophenol	110U
132-64-9	Dibenzofuran	22 U
121-14-2	2,4-Dinitrotoluene	110U
606-20-2	2,6-Dinitrotoluene	110U
84-66-2	Diethylphthalate	22 U
7005-72-3	4-Chlorophenyl-phenylether	22 U
86-73-7	Fluorene	22 U
100-01-6	4-Nitroaniline	1100
534-52-1	4.6-Dinitro-2-Methylphenol	220U
86-30-6	N-Nitrosodipnenylamine(1)	22 U
101-55-3	4-Bromophenyl-phenylether	22 U
118-74-1	Hexachlorobenzene	22 U
87-86-5	Pentachlorophenol	110U
85-01-8	Phenanthrene	22 U
120-12-7	Anthracene	22 U
84-74-2	Di-n-Butylphthalate	22 U
206-44-0	Fluoranthene .	22 U
129-00-0	Pyrene	<i>2</i> 2U
85-68-7	Butylbenzylphthalate	22 Ü
91-94-1	3,3'-Dichlorobenzidine	1100
56-55-3	Benzo(a)Anthracene	22 U
117-81-7	bis(2-Ethylhexyl)Phthalate	6JB
218-01-9	Chrysene	22 U
117-84-0	Di-n-Octyl Phthalate	22 U
205-99-2	Benzo(b)Fluoranthene	22 U
207-08-9	Benzo(k)Fluoranthene	22 U
50-32-8	Benzo(a)Pyrene	<i>2</i> 2U
193-39-5	Indeno(1,2,3-cd)Pyrene	<i>22U</i>
53-70-3	Dibenz(a,h)Anthracene	22 U
191-24-2	Benzo(ghi)Perylene	22 U

(1) Cannot be separated from diphenylamine

## \*Base/neutral surrogate recoveries

d5-Nitrobenzene	98.2%
2-Fluorobiphenyl	77.8%
d14-p-Terphenyl	64.7%

\*Acid surrogate recoveries

d5-Phenol	93.0%
2-Fluorophenol	74.9%
2,4,6-Tribromophenol	89.9%

### **ORGANICS ANALYSIS DATA SHEET**

Semivolatiles by Methods 625/8270

Lab ID: Matrix: 3358D

Soils/Sediments

Sample No: WRBN-2-2

QC Report No: 3358 - Batelle

Project No: PO#60694AKS

VTSR: 07/27/89

Date Release Authorized:

Report prepared 08/18/89 MAC:B

Sample Wt: 91.3 gm (Dry Weight)

Percent Moisture: 26.1%

Date extracted: 08/03/89 Analyzed (FINN 4): 08/10/89

GPC Clean-up: YES (1 of 2)

pH: 8.1

Conc/Dilution: 1 to 1

	Gradiap: 120 (1012)	-		
CAS Number		μg/Kg CAS Number		
108-95-2	Phenol	40U	83-32-9	Ac
111-44-4	bis(2-Chloroethyl)Ether	22 U	51-28-5	2,4
95-57-8	2-Chlorophenol	22 U	100-02-7	4-1
541-73-1	1,3-Dichlorobenzene	22 U	132-64-9	Dit
106-46-7	1,4-Dichlorobenzene	22 U	121-14-2	2.4
100-51-6	Benzyl Alcohol	110U	606-20-2	2.6
95-50-1	1,2-Dichlorobenzene	22 U	84-66-2	Die
95-48-7	2-Methylphenol	22 U	7005-72-3	4-0
338-32-9	bis(2-chloroisopropyl)Ether	22 U	86-73-7	FIL
-44-5	4-Methylphenol	22 U	100-01-6	4-1
1021-64-7	N-Nitroso-Di-n-Propylamine	22 U	534-52-1	4.0
67-72-1	Hexacnloroethane	40U	86-30-6	N-
98-95-3	Nitrobenzene	22 U	101-55-3	4-6
78-59-1	Isophorone	22 U	118-74-1	He
88-75-5	2-Nitrophenol	110U	87-86-5	Pe
105-67-9	2,4-Dimethylphenol	40U	85-01-8	Ph
65-85-0	Benzoic Acid	220 U	120-12-7	Ar
111-91-1	bis(2-Chloroethoxy)Methane	22 U	84-74-2	Di
120-83-2	2,4-Dichlorophenol	70 U	206-44-0	FIL
120-82-1	1,2,4-Trichlorobenzene	22 U	129-00-0	Py
91-20-3	Naphthalene	22 U	85-68-7	Bu
106-47-8	4-Chloroaniline	70 U	91-94-1	3,3
87-68-3	Hexachlorobutadiene	40U	56-55-3	Be
59-50-7	4-Chloro-3-Methylphenol	<b>4</b> 0U	117-81-7	bis
91-57-6	2-Methylnaphthalene	22 U	218-01-9	Ct
77-47-4	Hexachlorocyclopentadiene	1100	117-84-0	Di
88-06-2	2,4,6-Trichlorophenol	1100	205-99-2	Be
95-95-4	2,4,5-Trichlorophenol	1100	207-08-9	Be
91-58-7	2-Chloronaphthalene	22 U	50-32-8	Be
88-74-4	2-Nitroaniline	1100	193-39-5	Ind
131-11-3	Dimethyl Phthalate	22 U	<i>53-70-3</i>	Dil
208-96-8	Acenaphthylene	22 U	191-24-2	Be
 2-09-2	3-Nitroaniline	110U	(1) Canno	ot be

Q7 10 1 101112	, o i	<u> </u>
83-32-9	Acenaphthene	22 U
51-28-5	2,4-Dinitrophenol	220U
100-02-7	4-Nitrophenol	110U
132-64-9	Dibenzofuran	22 U
121-14-2	2,4-Dinitrotoluene	110U
606-20-2	2,6-Dinitrotoluene	110U
84-66-2	Diethylphthalate	<i>2</i> 2 <i>U</i>
7005-72-3	4-Chlorophenyl-phenylether	<i>2</i> 2 <i>U</i>
86-73-7	Fluorene	22 U
100-01-6	4-Nitroaniline	1100
534-52-1	4,6-Dinitro-2-Methylphenol	220U
86-30-6	N-Nitrosodiphenylamine(1)	22 U
101-55-3	4-Bromophenyl-phenylether	<i>2</i> 2 <i>U</i>
118-74-1	Hexachlorobenzene	<i>2</i> 2 <i>U</i>
87-86-5	Pentachlorophenol	110U
85-01-8	Phenanthrene	22 U
120-12-7	Anthracene	22 U
84-74-2	Di-n-Butviphthalate	22 U
206-44-0	Fluoranthene	<i>22 U</i>
129-00-0	Pyrene	22 U
85-68-7	Butylbenzylphthalate	22 U
91-94-1	3,3'-Dichlorobenzidine	1100
56-55-3	Benzo(a)Anthracene	<i>22U</i>
117-81-7	bis(2-Ethylnexyl)Phthalate	22 U
218-01-9	Chrysene	22 U
117-84-0	Di-n-Octyl Phthalate	22 U
205-99-2	Benzo(b)Fluoranthene	22 U
207-08-9	Benzo(k)Fiuoranthene	<i>22U</i>
50-32-8	Benzo(a)Pyrene	<i>2</i> 2U
193-39-5	Indeno(1,2,3-cd)Pyrene	22 U
53-70-3	Dibenz(a,n)Anthracene	22 U
191-24-2	Benzo(ghi)Perylene	22 U

μg/Kg

(1) Cannot be separated from diphenylamine

\*Base/neutral surrogate recoveries

d5-Nitrobenzene	82.5%
2-Fluorobiphenyl	76.3%
d14-p-Terphenyl	66.6%

\*Acid surrogate recoveries

d5-Phenol	94.0%
2-Fluorophenol	77.4%
2,4,6-Tribromophenol	88.8%